
Clio

220-240V AC

M09455.000.0200





Data sheet

CODE	M09455.000.0200
SYSTEM POWER CONSUMPTION	max 57W
LIGHT SOURCE	LED retrofit / halogen
LIGHT SOURCE KIT	* included
COMPATIBLE SOURCES	LED retrofit bulb 8W E27 2700K Ra80 1050lm (no dimming) * / max 57W E27
COLOUR TEMPERATURE	2700K Ra>80
LIGHT DISTRIBUTION	diffused
POWER SUPPLY	220-240V AC
FREQUENCY	50/60Hz
NOMINAL LUMINOUS FLUX	1050lm
WEIGHT	1,29 Kg
PROTECTION DEGREE	IP20
COLOUR TOLLERANCES	SDCM <6
PACKING DIMENSIONS	0,0 x 0,0 x 0,0 cm












Multiple suspension lighting fixture for interiors, with direct and indirect light emission. $Structure\ in\ pressed\ rough\ aluminium\ and\ pickled\ sheet\ metal\ in\ polyacrylic\ paint.$ $\hbox{Diffuser in blown glass with white, crystal, steel, amber, bronze, to bacco or green } \\$ ribbing finish.

Pickled sheet metal closing disk in black or mat brass polyacrylic paint. $3.5 \mathrm{m}$ (137,8") long suspension and power cable in PVC with black fabric covering. $\label{provided} \mbox{Provided without power canopy, complete with polycarbonate hook.}$

Technical drawing




Clio

Accessories / power supply

M7901/1	Canopy for power supply.	4.7
CE EHI 🗵 🙉		10,6
M7901/2	Canopy for power supply with 2 outputs.	4.1
CE EHL Z ®		10,6
M7901/3	Canopy for power supply with 3 outputs.	4,1:-
CE EHL Z ®		10,6
M7902/1	Canopy for power supply.	<u>2</u> 1:-
CE EHI X		10.6
M7902/2	Canopy for power supply with 2 outputs.	4,1
CE EHI X		10.6
M7902/3	Canopy for power supply with 3 outputs.	4,1
CE EHI X		10.6 4 1/6"
M91/94/9702	Canopy for power supply up to 9 M091000.0200/M094000.0200/M097000.0200 models maximum.	4 14 1
CE EHI 🗵 🙉		21 8 2/3"

Clio

Accessories / power supply and fixing



Clio

Accessories / fixing

