Kips

24V DC

XG27001.100.0099





Data sheet

CODE	XG27001.100.0099
SYSTEM POWER CONSUMPTION	max 10,6W/m
LIGHT SOURCE	LED
POWER SUPPLY	24V DC
DRIVER	remote not included
WEIGHT	0,24 Kg
PROTECTION DEGREE	IP40 IP20
GLOW WIRE TEST PERFORMANCE	850°
PACKING DIMENSIONS	6,0 x 6,0 x 114,0 cm
L (mm)	1000
L (in)	39 2/5"
ADVISED BRACKETS	2
HOLE (mm)	1005 x 11
HOLE (in)	39 3/5" x 3/7"








Modular profile for ceiling or wall built-in installation for interiors, with direct light

Built-in structure in plasterboard, in extruded aluminium in RAL 9003 white powder paint.

Light modules and driver to be ordered separately.

Fastening, joining and closing accessories to be ordered separately. Built-in hole dimension: 1005x11mm (39,6x0,4")

Technical drawing






Application



Polar diagram



cd/klm C0 - C180 - - - C90 - C270

Kips

Accessories / source

YLR101.011.0110

Strip LED, 1000mm (39,4") 10,6W/m 24V DC 3000K Ra>80 401lm/m, to be cut each 50mm (2").







Strip LED, 5000mm (196,9") 10,6W/m 24V DC 3000K Ra>80 401lm/m, to be cut each 50mm (2").





Kips

Accessories / power supply

XM100/24 DIM	LED driver, 100W 24V DC, DALI/Push DIM dimmable.	
C € EHL (III)		280 ers. 11 W
XM150/24 DIM	LED driver, 150W 24V DC, DALI/Push DIM dimmable.	
C E E E I		Bin CV
XM18/24 DIM	LED driver, 18W 24V DC, DALI/Push DIM dimmable.	- 1972 -
CE FAIL ®		175 mm 0 %
XM35/24 DIM	LED driver, 35W 24V DC, DALI/Push DIM dimmable.	8 2
CE EHI ®		
XM6-20 UNI	LED driver, 4÷20W 250÷700mA.	72 mm 76
CE FAIL (m)		E
XM60/24 DIM	LED driver, 60W 24V DC, DALI/Push DIM dimmable.	g in
C € EHL (m)		\$\begin{align*} \begin{align*} \begin{align*} 225 mm & & & & & & & & & & & & & & & & & &
YDV.024.030.A01	LED driver, 30W 24V DC.	
CE ENI (III)		26"
YDV.024.120.A01	LED driver, 120W 24V DC.	
CE EHL ®		
YDV.024.180.A01	LED driver, 180W 24V DC.	#
CE FAI (iii)		Show W

Kips

Accessories / connection

XM27000.401.0099

Faston kit for electrical connection (10 pieces).





Kips

Accessories / fixing

XM27000.201.0099

Drywall fixing bracket.





Kips

Accessories / junction

XM27000.301.0099

Linear junction kit.







Kips

Accessories / closing

XM27001.202.0099

Pair of end caps with screws.



