

Kips

24V DC
XG27001.300.0099

white




Data sheet

CODE	XG27001.300.0099
SYSTEM POWER CONSUMPTION	max 10,6W/m
LIGHT SOURCE	LED
POWER SUPPLY	24V DC
DRIVER	remote not included
WEIGHT	0,71 Kg
PROTECTION DEGREE	IP40 IP20
GLOW WIRE TEST PERFORMANCE	850°
PACKING DIMENSIONS	6,0 x 6,0 x 314,0 cm
L (mm)	3000
L (in)	118 1/5"
ADVISED BRACKETS	4
HOLE (mm)	3005 x 11
HOLE (in)	118 2/5" x 3/7"



Modular profile for ceiling or wall built-in installation for interiors, with direct light emission.
Built-in structure in plasterboard, in extruded aluminium in RAL 9003 white powder paint.
Light modules and driver to be ordered separately.
Fastening, joining and closing accessories to be ordered separately.
Built-in hole dimension: 3005x11mm (118,3x0,4")


Technical drawing



Application



Polar diagram



Kips

Accessories / source

YLR101.011.0110

Strip LED, 1000mm (39,4") 10,6W/m 24V DC 3000K Ra>80 401lm/m, to be cut each 50mm (2").




YLR102.011.0110

Strip LED, 5000mm (196,9") 10,6W/m 24V DC 3000K Ra>80 401lm/m, to be cut each 50mm (2").




Accessories / power supply


XM100/24 DIM LED driver, 100W 24V DC, DALI/Push DIM dimmable.




XM150/24 DIM LED driver, 150W 24V DC, DALI/Push DIM dimmable.




XM18/24 DIM LED driver, 18W 24V DC, DALI/Push DIM dimmable.




XM35/24 DIM LED driver, 35W 24V DC, DALI/Push DIM dimmable.




XM6-20 UNI LED driver, 4÷20W 250÷700mA.



XM60/24 DIM LED driver, 60W 24V DC, DALI/Push DIM dimmable.




YDV.024.030.A01 LED driver, 30W 24V DC.



YDV.024.120.A01 LED driver, 120W 24V DC.




YDV.024.180.A01 LED driver, 180W 24V DC.



Accessories / connection

XM27000.401.0099


Faston kit for electrical connection (10 pieces).



Accessories / fixing

XM27000.201.0099


Drywall fixing bracket.



Accessories / junction

XM27000.301.0099

Linear junction kit.



PANZERI

Kips

Accessories / closing

XM27001.202.0099

Pair of end caps with screws.

